



KEMENTERIAN DALAM NEGERI
REPUBLIK INDONESIA
SEKRETARIAT JENDERAL

Jalan Medan Merdeka Utara Nomor 7 Jakarta-10110.
Telepon (021) 3450038, laman www.kemendagri.go.id,

SPESIFIKASI TEKNIS
PAKET PENGADAAN
SEWA VIDEOTRON, VIDEO WALL, DAN LED SCREEN OUTDOOR DI LINGKUNGAN
SEKRETARIAT
KEMENTERIAN DALAM NEGERI

A. RUANG LINGKUP PEKERJAAN

Ruang lingkup pekerjaan Sewa Videotron, Video Wall, dan LED Screen Outdoor di Lingkungan Kantor Pusat Kementerian Dalam Negeri meliputi:

1. Penyediaan perangkat layar Videotron, Video Wall, dan LED Screen Outdoor dengan ukuran sesuai kebutuhan;
2. Penyediaan Sistem pengendali (controller), prosesor video, dan software player;
3. Pemasangan fisik (konstruksi/rigging) dan instalasi listrik;
4. Konfigurasi sistem dan uji fungsi pengoperasian perangkat;
5. Memberikan pelatihan pengoperasian perangkat;
6. Memberikan garansi perangkat selama waktu sewa (12 bulan), layanan perawatan perangkat sebanyak 2 kali dalam 1 bulan;
7. Membuat laporan pemeliharaan bulanan dan laporan pemeliharaan tahunan; Menyediakan Engineer On Site selama hari kerja dan jam kerja, serta Engineer On Call jika terjadi kendala selama masa sewa.

B. SPESIFIKASI

NO	URAIAN	VOLUME	
1.	Sewa LED Screen Wisma Tenang Tipe: PGP3.9p Ukuran Layar: - 1 unit 3x3 meter - 1 unit 2,5x3,5 meter Resolusi Layar: 32cm x 16cm Brightness: >6500Nits Pixel Pitch: 3.9mm Operation Hour: > 10000hours Spesifikasi Produk: Controller, Video Processor, Receiving Card, Sending Card, LAN Cable, Power Cable, Panel Box	1	Thn
2.	Sewa LED Screen Indoor RSU Tipe: PGP4P Ukuran Layar: 2 Unit 3 x 2 Meter Resolusi Layar: 32cm x 16cm Brightness: >6500Nits Pixel Pitch: 4	1	Thn

	Operation Hour: >10000hours Spesifikasi Produk: Controller, Video Processor, Receiving Card, Sending Card, LAN Cable , Power Cable, Panel Box		
3.	sewa LED screen SBP Lantai III Tipe: PGP5p Ukuran Layar: 3x6 meter Resolusi Layar: 32cm x 16cm Brightness: >6500Nits Pixel Pitch: Pitch 5mm Operation Hour: >10000hours Spesifikasi Produk: Controller, Video Processor, Receiving Card, Sending Card, LAN Cable, Power Cable, Panel Box	1	Thn
4.	Sewa Videotron Gedung C Tipe: PG4 Ukuran Layar: 4 Meter X 10.5 Meter Resolusi Layar: FULL HD 1080p Brightness: 800 nits Pixel Pitch: 4mm Operation Hour: >100.000 hours Spesifikasi Produk: Pixel Pitch 4 mm Module Resolution (W x H) 80 X 40 Module Size (mm) 320 X 160 Module Weight 9kg) 0.615kg Module Input voltage (V) DC4.6 +10% The Max Current For Module A <7.5 The Max Power Consumption For Module (W) (DC 5V) White Balance Brightness (nits) 750 Visual Angle (Horizontal/Vettical) 140 /140 Brightness / Colorful Evenness >95% Contrast Ratio 3000:1 Frequency (Hz) >50/60 Driving Method constant Current, 1/52 Scanning Refresh Ratio (Hz) 3840Hz Color Processor 12-14bit Lifespan (hrs) 100.000H Work/Humidity temperature (C/RH) -IOC -sOC / (nobcondensation) Storage Temperature / Humidity (C/RH) -20 - 60C/ 10%-95%RH (no condensation)	1	Thn
5.	Sewa Video Wall Teleconference (Pusdatin) Tipe: LED Screen Ukuran Layar: 55 Inch x 6 unit Resolusi Layar: 1920 x 1080 Brightness: 500-700 nits Bezel to Bezel: 3.5 mm (both) Operation Hour: 50.000 Hours Spesifikasi Produk: Screen Size 55 inch LED Display; Custom Bezel : 3.5 mm (both) Display Pixel 1920 x 1080 Aspect Ratio 16 : 9 Life Time 50.000 Hours Operating : 24/7 Power Consumption :150 w	1	Thn
6.	Sewa Videotron Medan Merdeka Utara Tipe: PGPIOp Ukuran Layar: 4x6 meter Resolusi Layar: 32 x 16 Brightness: >6500Nits Pixel Pitch: Pitch 10mm Operation Hour: >10000hours Spesifikasi Produk: Controller, Video Processor, Receiving Card, Sending Card, LAN Cable, Power Cable, Panel Box	1	Thn
7.	Sewa Videotron Veteran Tipe: PGPIOp Ukuran Layar: 4x6 meter Resolusi Layar: 32 x 16	1	Thn

	Brightness: >6500Nits Pixel Pitch: Pitch 10mm Operation Hour: >10000hours		
8.	Sewa LED Screen Outdoor Area Plaza Kemendagri Tipe: PGP8p Ukuran Layar: 3x6 meter Resolusi Layar: 32 x 16 Brightness: >6500Nits Pixel Pitch: p8 Operation Hour: >10000hours Spesifikasi Produk: Controller, Video Processor, Receiving Card, Sending Card, LAN Cable, Pawan Cable, Panel Box	1	Thn